SAFETY DATA SHEET

OBERON

Foam Shampoo

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name OBERON Foam Shampoo

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Auto shampoo.

Uses advised against For professional use only. This product is not recommended for any industrial, professional or

consumer use other than the Identified uses above.

Details of the supplier of the safety data sheet Supplier

OBERON

Cygnus Industries

Thane,

www.oberonmart.com

Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318 Elicitation - EUH208

Environmental hazards Not Classified

•

Label elements

Pictogram



Signal word Danger

Hazard statements H318 Causes serious eye damage.

EUH208 Contains Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic

reaction.

Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Contains Betaines, C12-14-Alkyldimethyl, β-Alanine, N-coco alkyl derivs., sodium salts

Detergent labelling < 5% amphoteric surfactants, Contains TETRAMETHYLOLGLYCOLURIL, Reaction mass of:

5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one

[EC no. 220-239-6] (3:1), Formaldehyde

Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Betaines, C12-14-Alkyldimethyl 2-5%

CAS number: 66455-29-6 EC number: 266-368-1

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R36,R38.

Eye Dam. 1 - H318

B-Alanine, N-coco alkyl derivs., sodium salts 2-5%

CAS number: 68608-68-4 EC number: 271-795-1

Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xi;R36.

2-(2-BUTOXYETHOXY)ETHANOL 1-2%

CAS number: 112-34-5 EC number: 203-961-6 REACH registration number: 01-

2119475104-44-XXXX

Substance with a Community workplace exposure limit.

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 Xi;R36

Sodium Acrylate 0.1-0.2%

M factor (Acute) = 1

Classification

Aquatic Acute 1 - H400

Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one

<0.01%

[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no.

220-239-6] (3:1)

CAS number: 55965-84-9

M factor (Acute) = 1 M factor (Chronic) = 10

Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 3 - H301 T;R23/24/25 C;R34 R43 N;R50/53

Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

Inhalation Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any

discomfort continues.

Skin contact Rinse with water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor
No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards Oxides of the following substances: Carbon. Nitrogen. No unusual fire or explosion hazards

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

for firefighters

Use air-supplied respirator, gloves and protective goggles. Use protective equipment

appropriate for surrounding materials.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Flush contaminated area with plenty of water. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Wash thoroughly after dealing with a spillage.

Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Avoid spilling. Avoid contact with skin and

eyes.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store in

> closed original container at temperatures between 5°C and 25°C. Keep above the chemical's freezing point to avoid rupturing the container. Protect from freezing and direct sunlight.

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

Control parameters

Occupational exposure limits

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m^3 Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m^3

WEL = Workplace Exposure Limit

Betaines, C12-14-Alkyldimethyl (CAS: 66455-29-6)

Ingredient comments No exposure limits known for ingredient(s).

B-Alanine, N-coco alkyl derivs., sodium salts (CAS: 68608-68-4)

Ingredient comments No exposure limits known for ingredient(s).

2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

DNEL Industry - Inhalation; : 101.2 mg/m³

Industry - Dermal; : 20 mg/kg/day Consumer - Inhalation; : mg/m³ Consumer - Dermal; : 10 mg/kg/day Consumer - Oral; : 1.25 mg/kg/day

PNEC - Fresh water; 1 mg/l

- Marine water; 0.1 mg/l

Sediment (Freshwater); 4 mg/kgSediment (Marinewater); 0.4 mg/kg

- Soil; 0.4 mg/kg

Sodium Acrylate (CAS: 7446-81-3)

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Protective equipment





Appropriate engineering controls

No specific ventilation requirements.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Rubber (natural, latex). Polyvinyl chloride (PVC). The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.

Other skin and body

protection

Provide eyewash station.

Hygiene measures Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work

shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate

skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Straw.

Odour Mild.

Odour threshold Not available. Not available.

pH (concentrated solution): ~ 8.0

Melting point ~ 0°C

Initial boiling point and range ~ 100 @°C @ 760 mm Hg

Flash point Not applicable.

Evaporation rate Not available.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not applicable.
Vapour density Not applicable.

Relative density $^{\sim}$ 1.020 @ 20°C

Soluble in water. Miscible with water.

Partition coefficient Not available.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not available.

Viscosity ~ 1 cSt @ 20°C

Oxidising properties Not applicable.

Comments Information declared as "Not available" or "Not applicable" is not considered to be relevant to

the implementation of the proper control measures.

Other information

Volatile organic compound This product contains a maximum VOC content of 18 g/litre.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable. Will not polymerise.

Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

Incompatible materials

Materials to avoid Strong acids. Strong alkalis.

Hazardous decomposition products

Hazardous decomposition

products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Other health effects There is no evidence that the product can cause cancer.

Skin corrosion/irritation

Human skin model test Scientifically unjustified.

Extreme pH Moderate pH (> 2 and < 11.5). Classification based on Conventional Method, and In Vitro

Approaches - Corrosive or Irritant by measuring pH and Acid/Alkali Reserve. Not irritating.

General information This product has low toxicity. Only large quantities are likely to have adverse effects on

human health.

Inhalation No specific health hazards known.

Ingestion May cause discomfort if swallowed. May cause irritation. Symptoms following overexposure

may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

Skin contact May cause defatting of the skin but is not an irritant.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health

hazards

Because of the product's quantity and composition, the health hazard is regarded as low. No

specific long-term effects known.

Route of entry Ingestion. Skin and/or eye contact

Target organs No specific target organs known.

Medical symptoms No specific symptoms noted, but this chemical may still have adverse health impact, either in

general or on certain individuals.

Medical considerations Skin disorders and allergies.

Toxicological information on ingredients.

Betaines, C12-14-Alkyldimethyl

Other health effects There is no evidence that the product can cause cancer.

B-Alanine, N-coco alkyl derivs., sodium salts

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

5,000.0

Species Rat

2-(2-BUTOXYETHOXY)ETHANOL

Other health effects There is no evidence that the product can cause cancer.

SECTION 12: Ecological Information

Ecotoxicity

The product is not expected to be hazardous to the environment. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product is not expected to be hazardous to wastewater treatment processes. The product does not contain organically bound halogen. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days.

Ecological information on ingredients.

Betaines, C12-14-Alkyldimethyl

Ecotoxicity The product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

B-Alanine, N-coco alkyl derivs., sodium salts

Ecotoxicity The product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

2-(2-BUTOXYETHOXY)ETHANOL

Ecotoxicity The product components are not classified as environmentally hazardous.

However, this does not exclude the possibility that large or frequent spills can have

a harmful or damaging effect on the environment.

Toxicity

Acute toxicity - fish Not determined.

Acute toxicity - aquatic

invertebrates

Not determined.

Acute toxicity - aquatic plants Not determined.

Acute toxicity - Not determined.

microorganisms

Acute toxicity - terrestrial Not determined.

Ecological information on ingredients.

B-Alanine, N-coco alkyl derivs., sodium salts

Acute toxicity - fish NOEC, : 10.7 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, : 97.5 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 72 hours, 72 hours: 31 mg/l, Marinewater algae

Persistence and degradability

Persistence and degradability The product is biodegradable. The surfactant(s) contained in this product complies(comply)

with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. The product is biodegradable but it must not be discharged into drains without permission from the authorities.

Ecological information on ingredients.

Betaines, C12-14-Alkyldimethyl

Persistence and degradability

The product is biodegradable.

B-Alanine, N-coco alkyl derivs., sodium salts

Persistence and degradability

The product is biodegradable.

2-(2-BUTOXYETHOXY)ETHANOL

Persistence and degradability

The product is biodegradable.

Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not available.

Ecological information on ingredients.

Betaines, C12-14-Alkyldimethyl

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

β-Alanine, N-coco alkyl derivs., sodium salts

Bioaccumulative potential The product is not bioaccumulating.

2-(2-BUTOXYETHOXY)ETHANOL

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Mobility in soil

Mobility The product is soluble in water.

Ecological information on ingredients.

Betaines, C12-14-Alkyldimethyl

Mobility The product is soluble in water.

B-Alanine, N-coco alkyl derivs., sodium salts

Mobility The product is soluble in water.

Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

Betaines, C12-14-Alkyldimethyl

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The packaging must be empty (drop-free when inverted).

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Packaging: Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

UN number

Not

applicable.

UN No. (IMDG)

UN No. (ICAO)

UN proper shipping name

Not applicable.

Transport hazard class(es)

Not applicable.

ADR/RID class

ADR/RID subsidiary risk

ADR/RID label

IMDG class

IMDG subsidiary risk

ICAO class/division

ICAO subsidiary risk

Transport labels

Packing group

Not applicable.

ADR/RID packing group

IMDG packing group

ICAO packing group

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

EmS

Emergency Action Code

Hazard Identification Number (ADR/RID)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list

of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and

Directive 91/689/EEC on hazardous waste with amendments.

EU legislation Dangerous Preparations Directive 1999/45/EC.

> Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Water hazard classification WGK 1

Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material. This product has been manufactured under

ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

Revision comments

SDS status

Hazard statements in full H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-

7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic

reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.